

COVID SCREENING QUESTIONS UPDATED 12/2/2020

In the last 2 weeks, have you tested positive for COVID-19 or knowingly been exposed to anyone with COVID-19?

OR

Do you have any of the following symptoms?

- Fever > 100F or chills
 - New cough
- New shortness of breath/difficulty breathing
 - New sore throat
 - New loss of taste or smell
 - New chills or muscle pain
- New congestion or runny nose
 - New vomiting or diarrhea

Patients with known COVID-19 infection:

Safe to image at any site if ALL the following are met:
10 days after the onset of symptoms or day of positive test (if patient asymptomatic)
(20 days for severe cases or for immunocompromised)


AND

24 hours fever free
(Without fever reducing medications)

AND

Other symptoms are improving

Determining COVID precautions for COVID-19 positive outpatients, including those with immunocompromise, history of cancer or recovery from severe COVID infection



Determining COVID precautions for COVID-19 positive outpatients, including those with immunocompromise, history of cancer or recovery from severe COVID infection

Medical Condition	Time and symptom based (20 days)	Requires testing for removal
High Dose Steroids	20mg Prednisone (or equivalent) for >14 days	NO
HIV	CD4 T lymphocyte count <200	NO
Cancer treatments	Active treatment with Cytotoxic Chemotherapy or Immunotherapy	NO
CAR-T	>1 year post CAR-T cell therapy	<1 year post CAR-T cell therapy
Post allogenic hematopoietic stem cell transplant	Must meet all of the following: <ul style="list-style-type: none"> • >1 year post transplant • Off immunosuppression >3 months • CD4 T lymphocyte count >200 • Absence of GVHD 	If any of these present: <ul style="list-style-type: none"> • <1 year post transplant • Receiving immunosuppression or within 3 months of discontinuation • GVHD • CD4 count <200
Post autologous hematopoietic stem cell transplant	>1 year post transplant	<1 year post transplant
Post solid organ transplant	>1 year post transplant	<1 year post transplant

